



Childhood immunization schedule 2007

Recommended Childhood and Adolescent Immunization Schedule UNITED STATES • 2005

Vaccine	Age	Birth	1 month	2 months	4 months	6 months	12 months	15 months	18 months	24 months	4-6 years	11-12 years	13-18 years
Hepatitis B ¹		HepB #1	HepB #2		HepB #3			HepB Series					
Diphtheria, Tetanus, Pertussis ²			DTaP	DTaP	DTaP		DTaP			DTaP	Td	Td	
<i>Haemophilus influenzae</i> type b ³			Hib	Hib	Hib	Hib							
Inactivated Poliovirus			IPV	IPV	IPV					IPV			
Measles, Mumps, Rubella ⁶						MMR #1				MMR #2	MMR #2		
Varicella ⁵						Varicella				Varicella			
Pneumococcal Conjugate ⁶			PCV	PCV	PCV	PCV				PCV	PPV		
Influenza ⁷						Influenza (Yearly)				Influenza (Yearly)			
----- Vaccines below red line are for selected populations -----													
Hepatitis A ⁸										Hepatitis A Series			

This schedule indicates the recommended ages for routine administration of currently licensed childhood vaccines, as of December 1, 2004, for children through age 18 years. Any dose not administered at the recommended age should be administered at any subsequent visit when indicated and feasible.

Indicates age groups that warrant special effort to administer those vaccines not previously administered. Additional vaccines may be licensed and recommended during the year. Licensed combination vaccines may be used whenever any components of the combination are indicated and other components of the vaccine are not contraindicated.

Providers should consult the manufacturers' package inserts for detailed recommendations. Clinically significant adverse events that follow immunization should be reported to the Vaccine Adverse Event Reporting System (VAERS). Guidance about how to obtain and complete a VAERS form is available at www.vaers.org or by telephone, 800-822-7967.

Range of recommended ages

Only if mother HBsAg(-)

Preadolescent assessment

Catch-up immunization